

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

CJC-1295 No Dac - 10mg

Tested for: AminoVault
aminovault.com

COA #: COA-2026-ZWJN30
Lot Number: AV-081026
Accession #: ACC-2026-15227
Labeled Content: 10mg

Analysis Date: 08/13/2026
Appearance: Good
Sample Matrix: Lyophilized
Volume: 3mL
Date Received: 08/10/2026

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: 6A7EQXXV

Method: Purity, Identity & Quantitation (HPLC), Endotoxin (USP <85>)

Identity

CJC-1295 No Dac

Peptide Purity

99.21%



Fentanyl
Free


Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.21%	%	PASS
Net Peptide Content	Report Only	10.39	mg	N/A
Identity (HPLC-RTM)	CJC-1295	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



CJC-1295 No Dac 10mg - AV-081026

HPLC Chromatogram



CJC-1295 No Dac 10mg - AV-081026: UV Chromatogram

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	NMT 0.5 EU/mL	NMT 0.05 EU/mL	PASS

Acceptance criteria: NMT 0.5 EU/mL per client specification.

Notes & Methodology

- Date Tested: 08/13/2026. Methods: Purity, Identity & Quantitation (HPLC).
- The sample was confirmed to be CJC-1295 No Dac by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Endotoxin tested per USP <85> kinetic chromogenic method. Acceptance criteria per client specification.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
- This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
8/13/2026

COA #: COA-2026-ZWJN30
Access Code: 6A7EQXXV
Verify: <portal.ils-lab.com/verify/sEXJkFxZza-5bra>
Issued: 8/13/2026