

Sample Received: **June 9, 2026**

COA Issued: **June 12, 2026**

## PRODUCT INFORMATION

Vendor: <b>Arizona Peptides</b>	Sample Name: <b>Selank/Semax 60mg</b>	Sample Type: <b>White lyophilized powder</b>	Lot Number: <b>SS-4522</b>	MW (g/mol): <b>751.9, 813.9</b>
------------------------------------	--	---	-------------------------------	------------------------------------

## ANALYTICAL METHODS

**Identity:** Confirmed via MALDI-MS



**Purity:** RP-HPLC (214 nm)

**Content:** HPLC quantitation

## TEST RESULTS

Specification	Result	Method	Status
Identity: Selank/Semax	Selank, Semax	MALDI-MS	✓ Conforms
Content	30.25, 30.48 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.7%	RP-HPLC (214 nm)	✓ Conforms

### HPLC Chromatogram (Retention Time: 1.733, 8.404 min)



**Certification:** This COA confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Visit: <https://bioviridians.com/coa-search.html>



*Shane Straight*  
 Shane Straight, M.S.  
 Principal Chemist, Bioviridian Inc.